

# HYSTER FORKLIFT TRUCKS, DIESEL H70XL PERKINS


**ENGINE** Perkins 4.248.2

| USE    | CLIMATE  |
|--------|----------|
| Normal | Tropical |

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 30**

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

## PRODUCT RECOMMENDATION 1

**Dieselfleet CD+ 15W-40**

## PRODUCT RECOMMENDATION 2

**Multifleet SHPD 15W-40**

## PRODUCT RECOMMENDATION 3

**Multifleet SCD 20W-20**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Multifleet SHPD 10W-40**

| USE    | CLIMATE |
|--------|---------|
| Normal | Arctic  |

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 10W**
**DRIVE AXLE**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90**

## PRODUCT RECOMMENDATION 3

**Gearlube GL-5 85W-140**
**TRANSMISSION** Hyster

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Agrifluid Synth XHP Ultra**

## PRODUCT RECOMMENDATION 2

**Agrifluid HT-Plus**

## PRODUCT RECOMMENDATION 3

**Kroontrak MTH 10W-30**
**TRANSMISSION** Powershift

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90**

## PRODUCT RECOMMENDATION 3

**Gearlube GL-5 85W-140**

# HYSTER FORKLIFT TRUCKS, DIESEL H70XL PERKINS



## TRANSMISSION MANUAL

| USE                         |                                    | CLIMATE                      |
|-----------------------------|------------------------------------|------------------------------|
| Normal                      |                                    | Moderate                     |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2           | PRODUCT RECOMMENDATION 3     |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

## HYDRAULIC SYSTEM

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Tropical |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>HDX 20W-20</b>        |  |          |

| USE                         |                          | CLIMATE  |
|-----------------------------|--------------------------|----------|
| Normal                      |                          | Moderate |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2 |          |
| <b>Kroontrak MTH 10W-30</b> | <b>HDX 10W</b>           |          |

## HYDRAULIC BRAKE SYSTEM

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Drauliquid DOT 3</b>  |  |          |

## GREASE POINTS/NIPPLES

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>MoS2 Grease EP 2</b>  |  |          |

## CLUTCH SYSTEM

| USE                              |                          | CLIMATE                     |
|----------------------------------|--------------------------|-----------------------------|
| Normal                           |                          | Moderate                    |
| PRODUCT RECOMMENDATION 1         | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3    |
| <b>Agrifluid Synth XHP Ultra</b> | <b>Agrifluid HT-Plus</b> | <b>Kroontrak MTH 10W-30</b> |

# HYSTER FORKLIFT TRUCKS, DIESEL H70XL PERKINS

**LIFT CHAINS**

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>HDX 30</b>            |  |          |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*