

# JOHN DEERE (TIMBERJACK) HARVESTERS 1270B



## ENGINE

Capacity: 24,6 liter (+ filter & oil cooler)

|        |               |
|--------|---------------|
| USE    | CLIMATE       |
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**Multifleet SHPD 20W-50**

*Change every 450 hours*

|        |          |
|--------|----------|
| USE    | CLIMATE  |
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Agridiesel CRD+ 15W-40**

PRODUCT RECOMMENDATION 2

**Kroontrak MTH 10W-30**

PRODUCT RECOMMENDATION 3

**Synfleet SHPD 10W-40**

*Change every 450 hours*

## DIFFERENTIAL

Capacity: 12 liter (Front), Capacity: 30 liter (Rear)

|        |          |
|--------|----------|
| USE    | CLIMATE  |
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

PRODUCT RECOMMENDATION 3

**Gearlube GL-5 80W-90**

*Change every 1800 hours*

## GEARBOX

Capacity: 4,5 liter

|        |          |
|--------|----------|
| USE    | CLIMATE  |
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

PRODUCT RECOMMENDATION 3

**Gearlube GL-5 80W-90**

## HUB REDUCTIONS

Capacity: 4 liter

|        |          |
|--------|----------|
| USE    | CLIMATE  |
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

PRODUCT RECOMMENDATION 3

**Gearlube GL-5 80W-90**

*Change every 1800 hours*

# JOHN DEERE (TIMBERJACK) HARVESTERS 1270B



## SWING REDUCTION UNIT CRANE

Capacity: 14,5 liter

| USE                      |                           | CLIMATE                     |
|--------------------------|---------------------------|-----------------------------|
| Normal                   |                           | Moderate                    |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3    |
| <b>SP Gear 1011</b>      | <b>Syngear TDL 75W-90</b> | <b>Gearlube GL-5 80W-90</b> |

*Change every 1800 hours*

## BOGIE CASING

Capacity: 50 liter

| USE                      |                           | CLIMATE                     |
|--------------------------|---------------------------|-----------------------------|
| Normal                   |                           | Moderate                    |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3    |
| <b>SP Gear 1011</b>      | <b>Syngear TDL 75W-90</b> | <b>Gearlube GL-5 80W-90</b> |

*Change every 1800 hours*

## HYDRAULIC SYSTEM

Capacity: 193 liter, Capacity: 110 liter (Tank)

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Perlus H 46</b>       | <b>Perlus H 68</b>       |          |

*Change every 900 hours*

| USE                      |  | CLIMATE |
|--------------------------|--|---------|
| Normal                   |  | Cold    |
| PRODUCT RECOMMENDATION 1 |  |         |
| <b>Perlus H 32</b>       |  |         |

*Change every 900 hours*

## HYDRAULIC BRAKE SYSTEM

Capacity: 0,2 liter

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Normal                    |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Perlus Biosynth 32</b> |  |          |

# JOHN DEERE (TIMBERJACK) HARVESTERS 1270B



| GREASE POINTS/NIPPLES    |                                 |                              |
|--------------------------|---------------------------------|------------------------------|
| USE                      | CLIMATE                         |                              |
| Normal                   | Moderate                        |                              |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2        | PRODUCT RECOMMENDATION 3     |
| <b>Labora Grease</b>     | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

| COOLING SYSTEM                |                          |                          |
|-------------------------------|--------------------------|--------------------------|
| Capacity: 38 liter            |                          |                          |
| USE                           | CLIMATE                  |                          |
| Normal                        | Moderate                 |                          |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| <b>Coolant -38 Organic NF</b> | <b>Coolant -26</b>       | <b>Coolant -33 MPG</b>   |
| <i>Change every 12 months</i> |                          |                          |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*