KALMAR REACH STACKERS DRF 420 VOLVO TWD1240VE (2003 AND AFTER)



| ENGINE Volvo TWD1240VE Capacity: 35 liter | | |
|--|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Dieselfleet CD+ 15W-40 | Multifleet SHPD 15W-40 | |

| DIFFERENTIAL Kessler D102 Capacity: 65 liter | | |
|--|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |

| DIFFERENTIAL Meritor PRC7534V Capacity: 50 liter | V4H | |
|---|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |

| HUB REDUCTIONS Kessler D102 Capacity: 12 liter | | |
|---|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |

| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |
|---|--------------------------|--------------------------|
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Normal | | Moderate |
| USE | | CLIMATE |
| HUB REDUCTIONS Meritor Capacity: 10 liter | | |

KALMAR REACH STACKERS DRF 420 VOLVO TWD1240VE (2003 AND AFTER)



| TRANSMISSION TE32000 Capacity: 80 liter | | |
|---|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| SP Matic 2032 | ATF Almirol | |

| PRODUCT RECOMMENDATION 2 | FRODUCT RECOMMENDATION 3 |
|--------------------------|--------------------------|
| PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| | Moderate |
| | CLIMATE |
| | |
| | |
| | |
| | Mediterranean |
| | CLIMATE |
| | acity: 940 liter (Total) |

| COOLING SYSTEM Capacity: 68 liter | | | |
|-----------------------------------|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Coolant -38 Organic NF | Coolant -26 | | |

| BRAKE SYSTEM WET BRAKES Capacity: 140 liter (Hydraulic tank) | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Agrifluid HT-Plus | |

| LOAD HANDLING MULTI-DISC BRAKE Capacity: 0,6 liter | | |
|--|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |

KALMAR REACH STACKERS DRF 420 VOLVO TWD1240VE (2003 AND AFTER)



| LOAD HANDLING PLANETARY GEAR HYDROMOTOR Capacity: 1,6 liter | | |
|---|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Gearlube HS GL-5 80W-140 |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.