KOMATSU TRACKED EXCAVATORS PC/HB
PC650LC-5 (1994-1994)

ENGINE Komatsu SA6D140
Capacity: 43 liter (Dry fill), Capacity: 38,5 liter (Service fill)

USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 30			

USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	**PRODUCT RECOMMENDATION 3**	
Kroontrak MTH 10W-30	**Synfleet SHPD 10W-40**	**Dieselfleet CD+ 15W-40**	

USE		CLIMATE	
Normal		Cold	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 10W			

POWER TAKE OFF
Capacity: 10 liter

USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 30			

USE		CLIMATE	
Normal		Cold	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 10W			

HYDRAULIC SYSTEM
Capacity: 860 liter (Dry fill), Capacity: 480 liter (Service fill)

USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	**PRODUCT RECOMMENDATION 3**	
Kroontrak MTH 10W-30	**Synfleet SHPD 10W-40**	**Dieselfleet CD+ 15W-40**	

KOMATSU TRACKED EXCAVATORS PC/HB
PC650LC-5 (1994-1994)

COOLING SYSTEM
Capacity: 147 liter

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	**Coolant -26**	

SWING REDUCTION UNIT
Capacity: 37 liter

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		

TRAVEL REDUCTION UNIT
Capacity: 35 liter (each)

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.