LINDE SIDELOADERS 084 (1967-1986)



ENGINE Ford 2711	
USE	CLIMATE
Normal	Tropical
PRODUCT RECOMMENDATION 1	
Multifleet SCD 30	
Change every 500 hours	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Multifleet SCD 20W-20	
Change every 500 hours	
USE	CLIMATE
Normal	Arctic
PRODUCT RECOMMENDATION 1	
Multifleet SCD 10W	
Change every 500 hours	
USE	CLIMATE
Initial service	Tropical
PRODUCT RECOMMENDATION 1	
Multifleet SCD 30	
Change every 50 hours	
USE	CLIMATE
Initial service	Mediterranean
PRODUCT RECOMMENDATION 1	
Multifleet SCD 20W-20	
Change every 50 hours	
USE	CLIMATE
Initial service	Arctic
PRODUCT RECOMMENDATION 1	
Multifleet SCD 10W	
Change every 50 hours	
ENGINE Ford 2722	
USE	 CLIMATE
Normal	Tropical
PRODUCT RECOMMENDATION 1	
Multifleet SCD 30	
Change every 500 hours	

LINDE SIDELOADERS 084 (1967-1986)



use Normal	CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1	Medicifaricari
Multifleet SCD 20W-20	
Change every 500 hours	
USE	CLIMATE
Normal	Arctic
PRODUCT RECOMMENDATION 1	
Multifleet SCD 10W	
Change every 500 hours	
use Initial service	CLIMATE Tropical
PRODUCT RECOMMENDATION 1	Topical
Multifleet SCD 30	
Change every 50 hours	
USE	CLIMATE
Initial service	Mediterranean
PRODUCT RECOMMENDATION 1	
Multifleet SCD 20W-20	
Change every 50 hours	
USE	CLIMATE
Initial service	Arctic
PRODUCT RECOMMENDATION 1	
Multifleet SCD 10W	
Change every 50 hours	
DIFFERENTIAL	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Unigear LS GL-3/GL-5 85W-140	
Change every 2000 hours	
TRANSMISSION Twin Disc	
USE	CLIMATE

ATF Almirol

PRODUCT RECOMMENDATION 1

Moderate

LINDE SIDELOADERS 084 (1967-1986)



HYDRAULIC SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus H 32	
Change every 3000 hours	·

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

LIFT CHAINS	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Industrial Chain Spray	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.