

# MITSUBISHI FORKLIFT TRUCKS, DIESEL FD45K



## ENGINE

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30**

### PRODUCT RECOMMENDATION 2

**Synfleet SHPD 10W-40**

### PRODUCT RECOMMENDATION 3

**Dieselfleet CD+ 15W-40**

*Check every 10 hours, change every 200 hours*

## GEARBOX

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

### PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90**

*Change every 6 months/ 1200 hours*

## TRANSMISSION Powershift

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**ATF Dexron II-D**

*Change every 6 months/ 1200 hours*

## HYDRAULIC SYSTEM

### USE

Normal

### CLIMATE

Mediterranean

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 10W**

*Change every 12 months/ 2400 hours*

## HYDRAULIC BRAKE SYSTEM

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

### PRODUCT RECOMMENDATION 2

**Drauliquid-S DOT 4**

### PRODUCT RECOMMENDATION 3

**Drauliquid DOT 3**

*Change every 12 months/ 2400 hours*

# MITSUBISHI FORKLIFT TRUCKS, DIESEL FD45K



## GREASE POINTS/NIPPLES CHASSIS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Gear Grease EP 1</b>		

## COOLING SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant -38 Organic NF</b>	<b>Coolant -26</b>	

## WHEEL BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*