## NISSAN FORKLIFT TRUCKS, LPG/PETROL H01



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	
Multifleet SHPD 15W-40	

Change every 1 months/ 200 hours

DIFFERENTIAL	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Unigear LS GL-3/GL-5 85W-140	
	·

Change every 12 months/ 2400 hours

use Normal		climate Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	
Change every 12 months/ 2400 hours		

TRANSMISSION AUTOMATIC		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
ATF Dexron II-D	ATF-F (Ford)	
Change every 6 months/ 1200 hours		

TRANSMISSION MANIJAL

TRANSMISSION MANUAL	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Unigear LS GL-3/GL-5 85W-140	

Change every 12 months/ 2400 hours

		:
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Normal		Moderate
USE		CLIMATE

Change every 12 months/ 2400 hours

## NISSAN FORKLIFT TRUCKS, LPG/PETROL H01



HYDRAULIC SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus H 32	
Change every 6 months/ 1200 hours	·

Change every 6 months/ 1200 hours

POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus H 32	

LIFT CHAINS			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Kroontrak MTH 10W-30	Multifleet SHPD 15W-40		

	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.