## TEREX FUCHS STATIONARY MATERIAL HANDLERS AHL AHL380D DEUTZ TCD 2015 L06 4V TIER 3 (380110/0181 ->)



<b>ENGINE</b> Deutz TCD 2015 L06 4V Capacity: 38 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agrisynth LSP 10W-40	Agridiesel CRD+ 15W-40	Armado Synth 10W-40
PRODUCT RECOMMENDATION 1		PRODUCT RECOMMENDATION 3

Change every 500 hours/ 12 months

Perlus Biosynth 46

USE

Change every 3000 hours/ 12 months

HYDRAULIC SYSTEM Capacity: 720 liter (Hydraulic tank)		
		CLIMATE
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Perlus AF 46		
Change every 3000 hours/ 12 months	·	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Perlus Biosynth 46	Perlus H 46	
Change every 3000 hours/ 12 months	·	
USE		CLIMATE
Biodegradable oil		Mediterranean
PRODUCT RECOMMENDATION 1		

GREASE POINTS/NIPPLES CENTRAL LUBRICATING SYSTEM	
Capacity: 4 kg (Central lubrication system for uppercarriage)	

Normal Moderate

PRODUCT RECOMMENDATION 1

HT Q9 High Grade Grease

CLIMATE

## TEREX FUCHS STATIONARY MATERIAL HANDLERS AHL AHL380D DEUTZ TCD 2015 L06 4V TIER 3 (380110/0181 ->)



COOLING SYSTEM Capacity: 60 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 11	
Change every 24 months	

	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90

Change every 500 hours/ 12 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.