## YALE FORKLIFT TRUCKS, LPG/PETROL GLP 30 RF MAZDA D5



ENGINE Mazda D5	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
HDX 30	
Change every 1 months/ 200 hours	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Kroontrak MTH 10W-30	
Change every 1 months/ 200 hours	
USE	CLIMATE
Initial service	Mediterranean
PRODUCT RECOMMENDATION 1	
HDX 30	
Change every 50 hours/ 1 week	
USE	CLIMATE
Initial service	Moderate
PRODUCT RECOMMENDATION 1	
Kroontrak MTH 10W-30	
Change every 50 hours/ 1 week	

DIFFERENTIAL		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube GL-5 85W-140
Change every 12 months/ 2400 hou	rs	

TRANSMISSION AUTOMATIC				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Agrifluid Synth XHP Ultra	Agrifluid HT-Plus	Kroontrak MTH 10W-30		
Change every 6 months/ 1200 hours		·		

HYDRAULIC SYSTEM

## YALE FORKLIFT TRUCKS, LPG/PETROL GLP 30 RF MAZDA D5



THE BUX SEES STOTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
HDX 10W	
Change every 6 months/ 1200 hours	
HYDRAULIC BRAKE SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Change every 6 months/ 1200 hours	

GREASE POINTS/NIPPLES	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
MoS2 Grease EP 2	
	I .

GREASE POINTS/NIPPLES BEARINGS		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.