## **PEUGEOT (DONGFENG) 408 408 2.0** (2010 AND AFTER)



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Emperol 5W-40	Asyntho 5W-30

Change every 7500 km/6 months

TRANSAXLE AUTOMATIC AL4 4/1 Capacity: 5,85 liter (Dry fill), Capacity: 3 liter (Service fill)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	
Change every 90000 km/ 72 months	·

TRANSAXLE MANUAL 5/1 Capacity: 1,9 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	
Change every 60000 km/ 48 months	

HYDRAULIC BRAKE/CLUTCH SYST	EM		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Check every 7500 km/ 6 months, chan	ge every 24 months	,	

PRODUCT RECOMMENDATION

## **PEUGEOT (DONGFENG) 408 408 2.0** (2010 AND AFTER)



POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	
Check every 7500 km/ 6 months	

	climate Moderate
Normal	Moderate
	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

Check every 7500 km/6 months, change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.