

GEELY (GLEAGLE/ENGLON) FC (YUANJIN / VISION) FC VISION 1.8 16V JL7180, JL7181 (2006-2011)



ENGINE JL4G18
Capacity: 3,5-4 liter

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Bi-Turbo 15W-40	Bi-Turbo 20W-50

Change every 5000 km/ 12 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
Asyntho 5W-30	

Change every 5000 km/ 12 months

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1	
Duranza LSP 5W-30	

Change every 5000 km/ 12 months

USE	CLIMATE
Severe	Tropical

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Bi-Turbo 15W-40	Bi-Turbo 20W-50

Change every 3000 km/ 3 months

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	
Asyntho 5W-30	

Change every 3000 km/ 3 months

USE	CLIMATE
Severe	Cold

PRODUCT RECOMMENDATION 1	
Duranza LSP 5W-30	

Change every 3000 km/ 3 months

USE	CLIMATE
Initial service	Tropical

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Bi-Turbo 15W-40	Bi-Turbo 20W-50

Change every 5000 km/ 3 months

GEELY (GLEAGLE/ENGLON) FC (YUANJIN / VISION) FC VISION 1.8 16V JL7180, JL7181 (2006-2011)



USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Asyntho 5W-30		

Change every 5000 km/ 3 months

USE		CLIMATE
Initial service		Cold
PRODUCT RECOMMENDATION 1		
Duranza LSP 5W-30		

Change every 5000 km/ 3 months

TRANSAXLE MANUAL 5/1 Capacity: 2,25 liter (Dry fill), Capacity: 2,1 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Check every 5000 km/ 24 months, change every 40000 km/ 24 months

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Change every 40000 km/ 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Check every 15000 km

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,63 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Check every 5000 km/ 6 months, change every 30000 km/ 24 months



GEELY (GLEAGLE/ENGLON) FC (YUANJIN / VISION) FC VISION 1.8 16V JL7180, JL7181 (2006-2011)

**POWER STEERING**

Capacity: 0,75 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 2032	ATF Almirol	

Check every 5000 km/ 24 months, change every 40000 km/ 24 months

COOLING SYSTEM

Capacity: 5,3-6,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Check every 5000 km, change every 30000 km/ 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Check every 15000 km, change every 60000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.