## **PRODUCT RECOMMENDATION**

## KIA (DYK) K4 K4 1.8 (2014 AND AFTER)



ENGINE G4NB Capacity: 4 liter			
USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1			
Emperol 10W-40			
Change every 5000 km/ 6 months			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Duranza ECO 5W-20	Presteza MSP 5W-30	Duranza LSP 5W-30	
Change every 5000 km/ 6 months			

TRANSAXLE AUTOMATIC 6/1 Capacity: 7,3 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
Check avery 10000 km/12 months, change avery 10000 km/18 months		

Check every 10000 km/ 12 months, change every 40000 km/ 48 months

TRANSAXLE MANUAL 6/1 Capacity: 1,9-2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1081	

Check every 10000 km/ 12 months, change every 30000 km/ 36 months

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,7-0,8 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3		

Check every 5000 km/ 6 months

## KIA (DYK) K4 K4 1.8 (2014 AND AFTER)



POWER STEERING Capacity: 1 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

Check every 5000 km/ 6 months

COOLING SYSTEM Capacity: 6 liter (with automatic transaxle), Capacity: 6,2 liter (with manual transaxle)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant -38 Organic NF	Coolant -26		

Change every 12 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.