

PORSCHE (CHN) CAYMAN 981 CAYMAN S 98712X (2006 AND AFTER)

**ENGINE M 97/21**

Capacity: 7,75 liter, Filter capacity: 0,25 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Specialsynth MSP 5W-40****PRODUCT RECOMMENDATION 2****Helar 0W-40****PRODUCT RECOMMENDATION 3****Emperol 5W-40***Change every 10000 km/ 12 months***DIFFERENTIAL FROM AUTOMATIC**

Capacity: 0,8 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1011****PRODUCT RECOMMENDATION 2****Syngear TDL 75W-90***Change every 180000 km/ 120 months***TRANSAXLE MANUAL 6/1**

Capacity: 2,8 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1011****PRODUCT RECOMMENDATION 2****Syngear TDL 75W-90***Change every 180000 km/ 120 months***TRANSMISSION AUTOMATIC Tiptronic S 5/1**

Capacity: 9 liter (Dry fill), Capacity: 3,5 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Matic 2032***Change every 180000 km/ 120 months***HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0,4 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Drauliquid-LV Super DOT 4***Check every 24 months/ 30000 km*

PORSCHE (CHN) CAYMAN 981 CAYMAN S 98712X (2006 AND AFTER)



POWER STEERING

Capacity: 1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

COOLING SYSTEM

Capacity: 22,3 liter, Capacity: 24,3 liter (+ automatic transmission/transaxle)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Check every 24 months/ 30000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.