VOLKSWAGEN (SHANGHAI) SANTANA SANTANA VISTA 1.8 (2008 AND AFTER)



| ENGINE BKT | | |
|--------------------------------|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Emperol 5W-40 | Asyntho 5W-30 | |
| Change every 7500 km/ 6 months | | |
| USE | | CLIMATE |
| Normal | | Cold |
| PRODUCT RECOMMENDATION 1 | | |
| Presteza MSP 5W-30 | | |
| Change avery 7500 km/6 months | | |

| TRANSAXLE MANUAL 5/1 Capacity: 2 liter | | |
|---|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011 | Syngear TDL 75W-90 | Syngear 75W-90 |
| Change every 60000 km | 1 | 1 |

| HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1 liter | | |
|---|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Drauliquid-LV Super DOT 4 | | |
| Change every 50000 km/24 months | <u> </u> | |

| POWER STEERING Capacity: 1 liter | |
|----------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Fluid 3013 | |
| Check every 15000 km | · |

PRODUCT RECOMMENDATION

VOLKSWAGEN (SHANGHAI) SANTANA SANTANA VISTA 1.8 (2008 AND AFTER)



| COOLING SYSTEM Capacity: 6 liter | | |
|----------------------------------|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 12 | Coolant SP 12 EVO | |
| Change every 50000 km/ 24 month | IS | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.