

# CLAAS JAGUAR JAGUAR 682 SL PERKINS

## TV8.540 (1988-1992)

**ENGINE** Perkins TV8.540

Capacity: 17,5 liter, Filter capacity: 1 liter

USE	CLIMATE
Normal	Tropical

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 30***Change every 100 hours*

USE	CLIMATE
Normal	Mediterranean

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 20W-20***Change every 100 hours*

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Multifleet SHPD 15W-40***Change every 100 hours*

USE	CLIMATE
Normal	Arctic

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 10W***Change every 100 hours***FEEDROLL GEARBOX LOWER DRIVE CASING**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Gear Grease EP 00/000****FEEDROLL GEARBOX UPPER DRIVE CASING**

Capacity: 0,85 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Gearlube GL-4 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Change every 12 months*

# CLAAS JAGUAR JAGUAR 682 SL PERKINS

## TV8.540 (1988-1992)



### HUB REDUCTIONS FRONT

Capacity: 2 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Gearlube GL-4 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Change every 12 months*

### REVERSING GEARBOX

Capacity: 1 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Change every 12 months*

### TRANSAXLE MANUAL 3/3

Capacity: 6 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Gearlube GL-4 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Change every 12 months*

### HYDRAULIC SYSTEM

Capacity: 6 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Perlus H 46**

## PRODUCT RECOMMENDATION 2

**Perlus AF 46***Change every 12 months*

### HYDRAULIC SYSTEM HYDROSTATIC DRIVE Linde

Capacity: 8 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Perlus H 46**

## PRODUCT RECOMMENDATION 2

**Perlus AF 46***Change every 12 months*

# CLAAS JAGUAR JAGUAR 682 SL PERKINS

## TV8.540 (1988-1992)



### HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Drauliquid DOT 3</b>		
<i>Change every 24 months</i>		

### COOLING SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant -38 Organic NF</b>	<b>Coolant -26</b>	
<i>Change every 12 months</i>		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.