## JOHN DEERE GT SERIES LAWN & GARDEN TRACTORS GT225 PIN (060001-) (2000-2003)



| ENGINE CV460S-26511<br>Capacity: 1,8 liter, Filter capacity: 0,35 liter |                          |          |
|---|--------------------------|----------|
| USE   |                          | CLIMATE  |
| Normal  |                          | Moderate |
| PRODUCT RECOMMENDATION 1  | PRODUCT RECOMMENDATION 2 |          |
| Asyntho 5W-30   | Multifleet SHPD 10W-40   |          |
| Check every 10 hours, change every 100 h                                | nours/ 12 months         |          |
| USE   |                          | CLIMATE  |
| First change only   |                          | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |  |
|--------------------------|--------------------------|--|
| Asyntho 5W-30            | Multifleet SHPD 10W-40   |  |

Change every 25 hours

| TRANSAXLE HYDROSTATIC<br>Capacity: 4,4 liter |                          |          |
|--|--------------------------|----------|
| USE  |                          | CLIMATE  |
| Normal                                       |                          | Moderate |
| PRODUCT RECOMMENDATION 1                     | PRODUCT RECOMMENDATION 2 |          |
| Agrifluid Synth XHP Ultra                    | Agrifluid HT-Plus        |          |
| Charles avery EQ barrier abarrar avery       |                          |          |

Check every 50 hours, change every 250 hours/24 months

| GREASE POINTS/NIPPLES    |                          |                          |
|--------------------------|--------------------------|--------------------------|
| USE                      |                          | CLIMATE                  |
| Normal                   |                          | Moderate                 |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Labora Grease            | Q5 MP Calcep Grease EP 2 | MP Lithep Grease EP 2    |
| Check every 25 hours     | 1                        |                          |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.