## LAMBORGHINI GRAND PRIX GRAND PRIX 674-70, -DT (1986-1995)



ENGINE L1000 4W Capacity: 9,2 liter		
USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SCD 40	HDX 40	
Check every 10 hours, change every 125	hours	
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
HDX 30		
Check every 10 hours, change every 125	hours	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SHPD 15W-40	HDX 20W-20	
Check every 10 hours, change every 125	hours	

<b>DIFFERENTIAL FRONT</b> (4x4) Capacity: 6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Check every 125 hours, change every	1000 hours	

HUB REDUCTIONS FRONT (4x4) Capacity: 1,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Check every 125 hours, change every 1	00 hours	

## LAMBORGHINI GRAND PRIX GRAND PRIX 674-70, -DT (1986-1995)



TRANSAXLE/HYDRAULIC SYSTEM 12/Capacity: 52 liter	12	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Check every 125 hours, change every 300	00 hours	

HYDRAULIC BRAKE SYSTEM

USE
Normal

PRODUCT RECOMMENDATION 2
ATF Dexron II-D

CLIMATE
Moderate

PRODUCT RECOMMENDATION 2
PRODUCT RECOMMENDATION 2
Perlus Biosynth 46

Perlus H 46

Check every 125 hours

GREASE POINTS/NIPPLES OTHERS		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Q7 MP Calcep Grease WR 2	Caliplex HD Grease EP 2	
Check every 250 hours		<u> </u>

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT		
	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2		
Caliplex HD Grease EP 2		
	PRODUCT RECOMMENDATION 2	CLIMATE  Moderate  PRODUCT RECOMMENDATION 2

Change every 1200 hours

COOLING SYSTEM Capacity: 13 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	
Change every 2400 hours/24 month	78	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.