## SAME ANTARES, GALAXY, TITAN I/II TITAN 160 (1992 AND AFTER)



<b>ENGINE</b> 1000.6-ATI Capacity: 15 liter, Filter capacity: 0,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 15W-40		
Check every 10 hours, change every 150 hours/12 months		

DIFFERENTIAL FRONT (4x4)
Capacity: 13 liter

USE CLIMATE
Normal Moderate

PRODUCT RECOMMENDATION 1
Agrifluid HT

Check every 150 hours, change every 1200 hours/ 12 months

CLIMATE
Moderate

Check every 150 hours, change every 1200 hours/ 12 months

POWER TAKE OFF FRONT Capacity: 2,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Charles your 150 hours shangs over 1200 hours		

Check every 150 hours, change every 1200 hours

TRANSAXLE/HYDRAULIC SYSTEM/POWER STEERING 18/12 Capacity: 108 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Check every 150 hours, change every 1200 hours/ 12 months		

information contained herein is subject to changes without notification.

## SAME ANTARES, GALAXY, TITAN I/II TITAN **160** (1992 AND AFTER)



HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
Check every 300 hours, change every 24 months		

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Check every 50 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

KROON-OIL B.V. Postbus 149 7600 AC Almelo

Dollegoorweg 15

7602 EC Almelo