FORD (EU) RANGER T6 / KE RANGER 2.2 TDCI (88 KW) (2011-2015)



| ENGINE Duratorq, GBVAJPF/ENPF Capacity: 8,9 liter (Initial fill), Capacity: 7,7-8,6 liter (Service fill), Filter capacity: 0,4 liter | | |
|---|--|----------|
| USE | | CLIMATE |
| Fuel sulfur level > 350 ppm | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Duranza LSP 5W-30 | | |
| Change every 30000 km/24 months | | |
| USE | | CLIMATE |
| Fuel sulfur level < 350 ppm | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Duranza LSP 5W-30 | | |
| Change every 30000 km/24 months | | |
| | | |

| CLIMATE |
|----------|
| |
| Moderate |
| |
| |
| |

| DIFFERENTIAL REAR LIMITED SLIP Capacity: 2,9-3,25 liter, Capacity: 0,16 l | iter (Friction modifier) | |
|--|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Gearlube LS 80W-90 | | |

| TRANSAXLE AUTOMATIC 6R80 6/1 Capacity: 10,5 liter (Dry fill), Capacity: 9 liter (Service fill) | | | |
|--|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| SP Matic 4036 | SP Matic 2032 | | |
| | | | |

FORD (EU) RANGER T6 / KE RANGER 2.2 TDCI (88 KW) (2011-2015)



| TRANSMISSION MANUAL MT82 6/1 Capacity: 2,6 liter, Capacity: 2,7 liter (Dry fill) | | |
|--|--|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| SP Gear 1081 | | |

| HYDRAULIC BRAKE/CLUTCH SYSTEM | |
|-------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Drauliquid-LV Super DOT 4 | |
| Change every 24 months | · |

| | CLIMATE |
|--------------------------|----------|
| | Moderate |
| PRODUCT RECOMMENDATION 2 | |
| SP Matic 2032 | |
| | |

| COOLING SYSTEM Capacity: 11,5 liter | | |
|-------------------------------------|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Coolant SP 15+ | Coolant SP 12 | Coolant -38 Organic NF |
| Change every 120 months | 1 | 1 |

AIRCONDITIONING COMPRESSOR

Capacity: 150 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 540-675 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.