PRODUCT RECOMMENDATION

# HUMMER (USA / CAN) H2 SUT H2 SUT 6.0 V8 (2003-2007)

**ENGINE** Vortec 6000 LQ4
Capacity: 5,7 liter (Service fill), Filter capacity: 0,95 liter

| USE | CLIMATE |
|---|---|
| Flexible (max) | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Presteza MSP 5W-30** | **Xedoz FE 5W-30** | |

*Change every 12 months*

**DIFFERENTIAL FRONT**

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **SP Gear 1011** | **Syngear TDL 75W-90** | |

*Check every 12500 km/ 6 months*

**DIFFERENTIAL REAR**

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **SP Gear 1011** | **Syngear TDL 75W-90** | |

*Check every 12500 km/ 6 months*

**TRANSFERBOX**
Capacity: 1,4 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **ATF Almirol** | | |

*Check every 12 months, change every 83000 km*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# HUMMER (USA / CAN) H2 SUT H2 SUT 6.0 V8 (2003-2007)

## TRANSMISSION AUTOMATIC 4L60-E 4/1
Capacity: 4,7 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **SP Matic 4036** | | |

*Change every 160000 km*

| USE | CLIMATE |
|---|---|
| Severe | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **SP Matic 4036** | | |

*Change every 80000 km*

## HYDRAULIC BRAKE SYSTEM

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Check every 12500 km/ 6 months*

## POWER STEERING

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **SP Matic 2032** | | |

*Check every 12500 km/ 6 months*

## GREASE POINTS/NIPPLES

| USE | CLIMATE |
|---|---|
| Flexible (max) | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---|---|---|
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

*Change every 12 months*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# HUMMER (USA / CAN) H2 SUT H2 SUT 6.0 V8 (2003-2007)

**COOLING SYSTEM**
Capacity: 16,3 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Coolant SP 15** | **Coolant SP 15+** | |

*Check every 12500 km/ 6 months, change every 240000 km/ 60 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367