## NISSAN (EU) NV200 M20 NV200 1.5 DCI (66 KW) DPF (2009-2013)



ENGINE K9K Capacity: 5,2 liter (Dry fill), Capacity: 4,5-4,8 liter (Service fill), Filter capacity: 0,1 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Meganza LSP 5W-30				
Change every 30000 km/ 12 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1				
Meganza LSP 5W-30				
Change every 15000 km/ 6 months				

TRANSAXLE MANUAL RS5F92R 5/1 Capacity: 2,3 liter				
use Normal	сlімате Moderate			
PRODUCT RECOMMENDATION 1	- Moderate			
SP Gear 5015				

Check every 30000 km/ 12 months, change every 90000 km/ 36 months

HYDRAULIC BRAKE/CLUTCH SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			
Check every 30000 km/ 12 months, change every 60000 km/ 24 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			
Change every 30000 km/ 12 months				

PRODUCT RECOMMENDATION

## NISSAN (EU) NV200 M20 NV200 1.5 DCI (66 KW) DPF (2009-2013)



COOLING SYSTEM Capacity: 6,3-7,1 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 30000 km/ 12 months, change every 60000 km/ 48 months				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 30000 km/ 12 months, change every 90000 km/ 60 months				

## AIRCONDITIONING SYSTEM

Capacity: 450 grams, Capacity: 650 grams (with 4 zone airconditioning system)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.