

**OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)****ENGINE 4ZD1**

Capacity: 3,5 liter, Filter capacity: 0,3 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

## PRODUCT RECOMMENDATION 1

**Multifleet SCD 30***Change every 15000 km/ 12 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Asyntho 5W-30**

## PRODUCT RECOMMENDATION 2

**Bi-Turbo 15W-40**

## PRODUCT RECOMMENDATION 3

**Bi-Turbo 20W-50***Change every 15000 km/ 12 months***DIFFERENTIAL FRONT**

Capacity: 1 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 85W-140***Check every 15000 km/ 12 months, change every 45000 km/ 36 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Check every 15000 km/ 12 months, change every 45000 km/ 36 months***DIFFERENTIAL REAR**

Capacity: 1,5 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 85W-140***Check every 15000 km/ 12 months, change every 45000 km/ 36 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

## PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

## PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Check every 15000 km/ 12 months, change every 45000 km/ 36 months*

**OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)****DIFFERENTIAL REAR LIMITED SLIP**

Capacity: 1,5 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**Gearlube Racing 75W-140***Check every 15000 km/ 12 months, change every 45000 km/ 36 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Gearlube LS 80W-90***Check every 15000 km/ 12 months, change every 45000 km/ 36 months***TRANSMISSION MANUAL/TRANSFERBOX 5/1**

Capacity: 4,4 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Tropical |

PRODUCT RECOMMENDATION 1

**Multifleet SCD 40**

PRODUCT RECOMMENDATION 2

**HDX 40***Check every 15000 km/ 12 months, change every 45000 km/ 36 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Asyntho 5W-30***Check every 15000 km/ 12 months, change every 45000 km/ 36 months***HYDRAULIC BRAKE SYSTEM**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Change every 15000 km/ 12 months*

**OPEL CAMPO CAMPO 2.3 (4X4) (1991-1994)****HYDRAULIC CLUTCH SYSTEM**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Check every 15000 km/ 12 months***POWER STEERING**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 2032***Check every 24 months/ 30000 km***COOLING SYSTEM**

Capacity: 9 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 11***Check every 15000 km/ 12 months***STEERING BOX**

Capacity: 0,4 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Gear 5015**

PRODUCT RECOMMENDATION 2

**Gearlube RPC 75W-80**

PRODUCT RECOMMENDATION 3

**SP Gear 1071**

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.