

RAM TRUCKS (USA / CAN) RAM 1500 (CLASSIC) DS RAM 1500 3.6 V6 (4X2) DS (2012-2013)



ENGINE Pentastar
Capacity: 5,6 liter

USE

Flexible (max)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Duranza ECO 5W-20

Change every 10000 miles/ 12 months

DIFFERENTIAL REAR C235
Capacity: 2,2 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140

Check every 20000 miles/ 24 months

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140

Change every 20000 miles/ 24 months

DIFFERENTIAL REAR LIMITED SLIP C235 LS
Capacity: 2,1 liter, Capacity: 148 CM3 (LS-additive)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140

Check every 20000 miles/ 24 months

USE

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140

Change every 20000 miles/ 24 months

RAM TRUCKS (USA / CAN) RAM 1500 (CLASSIC) DS RAM 1500 3.6 V6 (4X2) DS (2012-2013)


TRANSMISSION AUTOMATIC 6/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 144 months/ 120000 miles*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 60000 miles/ 72 months*
TRANSMISSION AUTOMATIC ZF 8HP45 845RE 8/1

Capacity: 8,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2034*Change every 144 months/ 120000 miles*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2034*Change every 60000 miles/ 72 months*
HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3
COOLING SYSTEM

Capacity: 13 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 15+

PRODUCT RECOMMENDATION 2

Coolant SP 12*Change every 150000 miles/ 120 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUCT RECOMMENDATION

**RAM TRUCKS (USA / CAN) RAM 1500
(CLASSIC) DS RAM 1500 3.6 V6 (4X2) DS
(2012-2013)**



advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.