

DODGE RAM (USA / CAN) RAM CHASSIS CAB DR/DH/D1/DC/DM RAM CHASSIS CAB 3500 5.7 V8 (4X2) DR/DH/D1/DC/DM (2007-



ENGINE HEMI
Capacity: 6,6 liter

USE	CLIMATE
Normal, =>6.3t	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Presteza MSP 5W-30	Xedoz FE 5W-30	

Change every 12000 km/ 6 months

USE	CLIMATE
Normal, =<6.3t	Moderate

PRODUCT RECOMMENDATION 1		
Duranza ECO 5W-20		

Change every 12000 km/ 6 months

DIFFERENTIAL REAR

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Change every 24000 km/ 12 months

DIFFERENTIAL REAR LIMITED SLIP

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Change every 24000 km/ 12 months

TRANSMISSION AUTOMATIC 545RFE 5/1

Capacity: 13,7-15,61 liter (Dry fill), Capacity: 5,2 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Change every 48000 km/ 24 months

DODGE RAM (USA / CAN) RAM CHASSIS CAB DR/DH/D1/DC/DM RAM CHASSIS CAB 3500 5.7 V8 (4X2) DR/DH/D1/DC/DM (2007-



TRANSMISSION AUTOMATIC Aisin Warner AS68RC 6/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 48000 km/ 24 months*

TRANSMISSION MANUAL G56 6/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 97000 km/ 48 months*

HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

POWER STEERING

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026

PRODUCT RECOMMENDATION

DODGE RAM (USA / CAN) RAM CHASSIS CAB DR/DH/D1/DC/DM RAM CHASSIS CAB 3500 5.7 V8 (4X2) DR/DH/D1/DC/DM (2007-



COOLING SYSTEM

Capacity: 17,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

Change every 160000 km/ 60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.