

# MERCEDES-BENZ (EU) VITO 639 VITO 123

## (2005-2007)



**ENGINE** M112 E37  
Capacity: 10 liter

USE		CLIMATE
Flexible (max)		Mediterranean
PRODUCT RECOMMENDATION 1		
<b>Bi-Turbo 20W-50</b>		

USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar 0W-40</b>	<b>Emperol 5W-40</b>	<b>Emperol 5W-50</b>

**DIFFERENTIAL REAR**  
Capacity: 1,3 liter

USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1071</b>	<b>Gearlube LS 80W-90</b>	

*Change every 120 months*

**TRANSMISSION AUTOMATIC** 722.6xx 5/1  
Capacity: 7,6 liter (Initial fill)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*Change every 120000 km*

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*Change every 45000 km/ 24 months*

# MERCEDES-BENZ (EU) VITO 639 VITO 123

## (2005-2007)


**TRANSMISSION MANUAL 716.637 6/1**

Capacity: 1,2 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 5015***Change every 120 months*
**TRANSMISSION MANUAL 716.652 6/1**

Capacity: 1,5 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 5015***Change every 120 months*
**HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0,8 liter, Capacity: 1 liter (Brake system + ESP)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 24 months*
**POWER STEERING**

Capacity: 0,8-1 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**
**COOLING SYSTEM**

Capacity: 10 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 11**

PRODUCT RECOMMENDATION 2

**Coolant SP 12 EVO***Change every 250000 km/ 180 months*

# MERCEDES-BENZ (EU) VITO 639 VITO 123 (2005-2007)



*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*