CATERPILLAR ENGINES C9 (2003-2010)



ENGINE C9 Capacity: 32 liter		
USE		CLIMATE
Severe (preferred)		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 15W-40		
Change every 17500 km		
USE		CLIMATE
Severe (preferred)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40
Change every 17500 km		
USE		CLIMATE
Distribution (preferred)		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 15W-40		
Change every 21000 km		
USE		CLIMATE
Distribution (preferred)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40
Change every 21000 km		
USE		CLIMATE
Regional (preferred)		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 15W-40		
Change every 30000 km/ 36 months		
USE		CLIMATE
Regional (preferred)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40
Change every 30000 km/ 36 months		
USE		CLIMATE
Distribution, non-urban (preferred)		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 15W-40		
Change every 25000 km		

PRODUCT RECOMMENDATION

CATERPILLAR ENGINES C9 (2003-2010)



use Distribution, non-urban (preferred)		climate Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40	Armado Synth 10W-40
Change every 25000 km		
USE		CLIMATE
Severe		Mediterranean
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40	
Change every 13000 km	1	
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40	
Change every 13000 km		
USE		CLIMATE
Regional		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	
Change every 21000 km		
USE		CLIMATE
Regional		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40	
Change every 21000 km		
USE		CLIMATE
Distribution		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	
Change every 15000 km		
USE		CLIMATE
Distribution		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40	
Change every 15000 km		

CATERPILLAR ENGINES C9 (2003-2010)



Synfleet SHPD 10W-40	Multifleet SHPD 10W-40	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Distribution, non-urban		Moderate
USE		CLIMATE
Change every 17500 km		
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Distribution, non-urban		Mediterranean
USE		CLIMATE

Change every 17500 km

COOLING SYSTEM Capacity: 18 liter (Engine only)	
USE	CLIMATE
Extended	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 17	

Change every 950000 km/ 72 months/ 12000 hours

use Normal		climate Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Change every 320000 km/ 36 months/ 3000 hours

use Alternative (acceptable)		сымате Moderate
PRODUCT RECOMMENDATION 1 Coolant SP 15+	PRODUCT RECOMMENDATION 2 Coolant SP 12	PRODUCT RECOMMENDATION 3 Coolant -38 Organic NF
Change every 240000 km/ 12 months/ 3000 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.