HYUNDAI HD78/170/250 HD78 D4DC EURO 1 (2004 AND AFTER)



USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		
NOT.	'	0.111.75
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Synfleet SHPD 10W-40	Dieselfleet LSP Ultra 10W-30	Dieselfleet CD+ 15W-40
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Armado Synth 5W-30		

DIFFERENTIAL REAR Capacity: 4,5 liter			
USE		CLIMATE	
Normal		Tropical	
PRODUCT RECOMMENDATION 1			
Gearlube GL-5 85W-140			
JSE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90		

TRANSMISSION MANUAL M0353 Capacity: 3,2 liter, Capacity: 3,7 lite		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 5015	Gearlube GL-4 80W	Gearlube GL-4 80W-90

HYUNDAI HD78/170/250 HD78 D4DC EURO 1 (2004 AND AFTER)



TRANSMISSION MANUAL M2S5 5/1 Capacity: 4 liter, Capacity: 4,5 liter (+ PTC))	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 5015	Gearlube GL-4 80W	Gearlube GL-4 80W-90

TRANSMISSION MANUAL M3S5 5/1 Capacity: 3,4 liter, Capacity: 3,9 liter (+ PTO)			
use Normal		climate Moderate	
SP Gear 5015	Gearlube GL-4 80W	Gearlube GL-4 80W-90	

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,3 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Drauliquid-S DOT 4			

POWER STEERING Capacity: 1,2 liter	
use Normal	climate Moderate
PRODUCT RECOMMENDATION 1 ATF Dexron II-D	

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2		

HYUNDAI HD78/170/250 HD78 D4DC EURO 1 (2004 AND AFTER)



COOLING SYSTEM			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant -38 Organic NF	Coolant -26		

STEERING BOX Capacity: 0,9 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.