

IVECO STRALIS CURSOR 10 (4X2/6X2)

STRALIS 260S45 (6X2) EURO 4/5 (2006-2013)



ENGINE F3A
Capacity: 25 liter

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Armado Synth LSP 10W-40	Armado Synth 10W-40

Change every 100000 km/ 12 months

USE	CLIMATE
Normal (preferred)	Moderate

PRODUCT RECOMMENDATION 1	
Armado Synth 5W-30	

Change every 150000 km/ 12 months

DIFFERENTIAL REAR

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140

Change every 200000 km/ 36 months

USE	CLIMATE
Normal (alternative)	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90

Change every 200000 km/ 36 months

USE	CLIMATE
Normal (preferred)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
SP Gear 1011	Syngear TDL 75W-90

Change every 450000 km/ 36 months

IVECO STRALIS CURSOR 10 (4X2/6X2)

STRALIS 260S45 (6X2) EURO 4/5 (2006-2013)



TRANSMISSION AUTOMATED ZF 12AS-2330 TD (EuroTronic) 12/2
Capacity: 15,1 liter, Capacity: 23,1 liter (+ intarder)

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 300000 km/ 24 months

USE	CLIMATE
Severe (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 240000 km/ 24 months

TRANSMISSION AUTOMATIC Allison 5/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 2032		

Change every 120000 km/ 36 months/ 3000 hours

TRANSMISSION MANUAL ZF 16S-2220 TD 16/2
Capacity: 13 liter, Capacity: 21 liter (+ intarder)

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 300000 km/ 24 months

USE	CLIMATE
Severe (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 240000 km/ 24 months

HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Check every 150000 km/ 12 months, change every 36 months

IVECO STRALIS CURSOR 10 (4X2/6X2)

STRALIS 260S45 (6X2) EURO 4/5 (2006-2013)



POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

CENTRAL LUBRICATION SYSTEM GREASE

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

GREASE POINTS/NIPPLES BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Labora Grease	Multi Purpose Grease 3	

GREASE POINTS/NIPPLES OTHERS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Check every 150000 km/ 12 months

COOLING SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.