

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)



ENGINE Cursor 9
Capacity: 27,75 liter

USE	CLIMATE
Regional	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 10W-40

Change every 80000 km

USE	CLIMATE
Construction Site	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 10W-40

Change every 800 hours/ 12 months

USE	CLIMATE
Regional, extended	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 5W-30

Change every 100000 km/ 12 months

USE	CLIMATE
Construction Site, extended	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 5W-30

Change every 1000 hours/ 12 months

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)

**DIFFERENTIAL FRONT 5985**

Capacity: 5 liter

USE	CLIMATE
Regional	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 150000 km/ 24 months

USE	CLIMATE
Regional	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 150000 km/ 24 months

USE	CLIMATE
Construction Site	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 24 months/ 1500 hours

USE	CLIMATE
Construction Site	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 24 months/ 1500 hours

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)

**DIFFERENTIAL REAR LEADING 452191/2D**

Capacity: 27 liter

USE	CLIMATE
Regional	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 150000 km/ 24 months

USE	CLIMATE
Regional	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 150000 km/ 24 months

USE	CLIMATE
Construction Site	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 24 months/ 1500 hours

USE	CLIMATE
Construction Site	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 24 months/ 1500 hours

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)

**DIFFERENTIAL REAR TRAILING 452191/2D**

Capacity: 16 liter

USE	CLIMATE
Regional	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 150000 km/ 24 months

USE	CLIMATE
Regional	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 150000 km/ 24 months

USE	CLIMATE
Construction Site	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 24 months/ 1500 hours

USE	CLIMATE
Construction Site	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

*Change every 24 months/ 1500 hours***POWER TAKE OFF Multipower**

Capacity: 2,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 800 hours/ 12 months

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)

**TRANSFERBOX**

Capacity: 6,5 liter

USE		CLIMATE
Regional		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 150000 km/ 24 months

USE		CLIMATE
Regional		Arctic
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

Change every 150000 km/ 24 months

USE		CLIMATE
Construction Site		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 24 months/ 1500 hours

USE		CLIMATE
Construction Site		Arctic
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

Change every 24 months/ 1500 hours

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)



TRANSMISSION AUTOMATED ZF 12AS-2330 TO (EuroTronic) 12/2
Capacity: 12 liter, Capacity: 21 liter (+ intarder)

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 300000 km/ 24 months

USE	CLIMATE
Severe (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 240000 km/ 24 months

USE	CLIMATE
Construction Site (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 2400 hours/ 24 months

TRANSMISSION MANUAL ZF 16S-1820 TO 16/2
Capacity: 13,4 liter, Capacity: 23,6 liter (+ intarder)

USE	CLIMATE
Normal (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 300000 km/ 24 months

USE	CLIMATE
Severe (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 240000 km/ 24 months

USE	CLIMATE
Construction Site (alternative)	Moderate

PRODUCT RECOMMENDATION 1		
Syngear MT/LD 75W-80		

Change every 2400 hours/ 24 months

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)


WHEEL BEARINGS FRONT OIL LUBRICATED 5985

Capacity: 0,75 liter (each hub)

USE	CLIMATE
Regional	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 150000 km/ 24 months

USE	CLIMATE
Regional	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 150000 km/ 24 months

USE	CLIMATE
Construction Site	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Change every 24 months/ 1500 hours

USE	CLIMATE
Construction Site	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 24 months/ 1500 hours
HYDRAULIC CAB TILT SYSTEM

Capacity: 0,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
LHM +		

HYDRAULIC CLUTCH SYSTEM

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Check every 100000 km/ 12 months/ 1000 hours, change every 36 months

IVECO TRAKKER CURSOR 8 / 9 (HI-TRACK / LAND) TRAKKER 260T36W (6X6) EURO 6 (2013 AND AFTER)

**POWER STEERING**

Capacity: 4 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

CENTRAL LUBRICATION SYSTEM GREASE

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

GREASE POINTS/NIPPLES BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Labora Grease	Multi Purpose Grease 3	

GREASE POINTS/NIPPLES OTHERS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

COOLING SYSTEM

Capacity: 34-37 liter, Capacity: 50 liter (+ intarder)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 11		

Check every 12 months, change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.