

# MERCEDES-BENZ (EU) ECONIC 957 ECONIC 1828 LL (4X2) NGT EEV (2009 AND AFTER)



**ENGINE** M906 LAG EEV  
Capacity: 29 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

## DIFFERENTIAL REAR HUB REDUCTIONS HL 7 (748.2)

Capacity: 12 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	<b>Gearlube GL-5 80W-90</b>

## HUB REDUCTIONS REAR HL 7

Capacity: 3,25 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	<b>Gearlube GL-5 80W-90</b>

## RETARDER Telma CC

We are unable to give a standard recommendation for this component. Please contact our service department.

## RETARDER Voith 115 H

Capacity: 5,4 liter

USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Multifleet SCD 20W-20</b>	<b>Multifleet SCD 10W</b>	

## TRANSMISSION AUTOMATIC

Capacity: 22 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Matic 4026</b>	<b>SP Matic 2032</b>	<b>ATF Almirol</b>

*Change every 60000 km/ 12 months*

# MERCEDES-BENZ (EU) ECONIC 957

## ECONIC 1828 LL (4X2) NGT EEV (2009 AND AFTER)



### HYDRAULIC CAB TILT SYSTEM

Capacity: 0,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Perlus H 15***Change every 12 months*

### HYDRAULIC CLUTCH SYSTEM

Capacity: 0,1 liter

USE	CLIMATE
Black reservoir cap	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 36 months*

USE	CLIMATE
Green reservoir cap	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3013**

### POWER STEERING

Capacity: 4,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**

PRODUCT RECOMMENDATION 3

**ATF-A**

### GREASE POINTS/NIPPLES FIFTH WHEEL

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Q5 MP Calcep Grease EP 2**

PRODUCT RECOMMENDATION 2

**MP Lithep Grease EP 2***Check every 50000 km/ 6 months*

# MERCEDES-BENZ (EU) ECONIC 957 ECONIC 1828 LL (4X2) NGT EEV (2009 AND AFTER)



## GREASE POINTS/NIPPLES STUB AXLE

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>	

Check every 12 months

## GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>	

Change every 24 months

## COOLING SYSTEM

Capacity: 23 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 15+</b>	<b>Coolant SP 11</b>	

Change every 36 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.