

MERCEDES-BENZ (EU) ECONIC EURO 6

956 ECONIC 1830 LL (4X2) EURO 6 (2013-2020)

**ENGINE** OM936LA Euro 6

Capacity: 26 liter (Initial fill), Capacity: 25 liter (Service fill), Filter capacity: 1 liter

USE

Flexible (on board maintenance system)

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1**Dieselfleet MSP 15W-40****USE**

Flexible (on board maintenance system)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Armado Synth LSP Ultra 5W-30****PRODUCT RECOMMENDATION 2****Armado Synth LSP Ultra 10W-40****PRODUCT RECOMMENDATION 3****Armado Synth LSP 10W-40****DIFFERENTIAL REAR** R233P (748.280)

Capacity: 8 liter, Capacity: 3,25 liter (each hub)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1011****PRODUCT RECOMMENDATION 2****Syngear TDL 75W-90****PRODUCT RECOMMENDATION 3****Gearlube GL-5 80W-90****DIFFERENTIAL REAR** R300P (748.282)

Capacity: 12 liter, Capacity: 3,25 liter (each hub)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1011****PRODUCT RECOMMENDATION 2****Syngear TDL 75W-90****PRODUCT RECOMMENDATION 3****Gearlube GL-5 80W-90****DIFFERENTIAL REAR** RT233P (748.281)

Capacity: 8 liter, Capacity: 3,25 liter (each hub)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1011****PRODUCT RECOMMENDATION 2****Syngear TDL 75W-90****PRODUCT RECOMMENDATION 3****Gearlube GL-5 80W-90**

MERCEDES-BENZ (EU) ECONIC EURO 6

956 ECONIC 1830 LL (4X2) EURO 6 (2013-2020)



THROUGH SHAFT ASSEMBLY REAR AXLES

Capacity: 1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Gearlube GL-5 80W-90

TRANSMISSION AUTOMATED G211-12 / 715.35x 12/4

Capacity: 10-11 liter

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1		
Syngear HS 75W-90		

TRANSMISSION AUTOMATIC Allison 3000 (723.69x) 6/1

Capacity: 28-31 liter (Initial fill), Capacity: 22-25 liter (Service fill)

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	

TRANSMISSION AUTOMATIC Allison 3200 (723.69x) 6/1

Capacity: 28-31 liter (Initial fill), Capacity: 22-25 liter (Service fill)

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	

HYDRAULIC SYSTEM VENTILATOR

Capacity: 8 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	

MERCEDES-BENZ (EU) ECONIC EURO 6 956 ECONIC 1830 LL (4X2) EURO 6 (2013-2020)

**POWER STEERING**

Capacity: 4,5-6,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	

COOLING SYSTEM

Capacity: 60 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

Change every 36 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.