SCANIA COACHES OMNICITY CN94UB 4X2 EURO 2 DSC9-11 (1998-2001)



USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Armado Synth 10W-40	Synfleet SHPD 10W-40	Armado Synth 5W-30	
JSE		CLIMATE	
Normal		Cold	
PRODUCT RECOMMENDATION 1			
Dieselfleet MSP 10W-30			

USE	CLIMATE
	OLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Unigear HS GL-3/GL-5 80W-90	

TRANSMISSION AUTOMATIC ZF 4HP500 4/1

Capacity: 15 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSMISSION AUTOMATIC ZF 4HP590 4/1

Capacity: 15 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSMISSION AUTOMATIC ZF 5HP590 5/1

Capacity: 15 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

SCANIA COACHES OMNICITY CN94UB 4X2 EURO 2 DSC9-11 (1998-2001)



HYDRAULIC SYSTEM VENTILATOR Capacity: 8 liter, Capacity: 15 liter (Dry fill)		
use Normal		CLIMATE
		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Armado Synth 5W-30		

	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-S DOT 4	Drauliquid DOT 3

POWER STEERING Capacity: 6-9 liter			
use Normal		climate Moderate	
ATF Dexron II-D	ATF-A		

CENTRAL LUBRICATION SYSTEM		
use Normal		climate Moderate
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Normal		Moderate
USE		CLIMATE
GREASE POINTS/NIPPLES		

SCANIA COACHES OMNICITY CN94UB 4X2 EURO 2 DSC9-11 (1998-2001)



WHEEL BEARINGS REAR OIL LUBRICA Capacity: 0,7 liter	2
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Unigear HS GL-3/GL-5 80W-90	

COOLING SYSTEM Capacity: 40 liter			
USE Normal		CLIMATE	
		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15+	Coolant SP 12		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.