

(1979-1995)

ENGINE THD 101 GC Capacity: 38 liter				
use Normal		CLIMATE		
		Mediterranean		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Multifleet SCD 40	Multifleet SCD 30			
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 10W-40		

DIFFERENTIAL REAR Capacity: 10 liter		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube HS GL-5 80W-140		

TRANSMISSION AUTOMATIC Allison MT 647 4/1 Capacity: 17 liter			
	CLIMATE		
Normal			
PRODUCT RECOMMENDATION 2			
ATF Almirol			
	PRODUCT RECOMMENDATION 2	CLIMATE Moderate PRODUCT RECOMMENDATION 2	

TRANSMISSION AUTOMATIC Voith 863 3/1 Capacity: 20 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Matic 2032	ATF Almirol		



(1979-1995)

TRANSMISSION AUTOMATIC ZF 4/1 Capacity: 22 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
HDX 10W	ATF Dexron II-D		

TRANSMISSION AUTOMATIC ZF 5HP500, 590, 600 5/1 Capacity: 22 liter			
use Normal		сымате Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
HDX 10W	ATF Dexron II-D		

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Multifleet SCD 40	SP Gear 1011	SP Gear 5015
USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SCD 30	Syngear MT/LD 75W-80	

TRANSMISSION MANUAL ZF S6-80 + GV 80 12/2 Capacity: 15 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Multifleet SCD 40	SP Gear 5015	Gearlube GL-1 80W-90	
USE		CLIMATE	
Normal		Arctic	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 30			



(1979-1995)

USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Multifleet SCD 40	SP Gear 5015	Gearlube GL-1 80W-90	
JSE		CLIMATE	
Normal		Arctic	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 30			

TRANSMISSION MANUAL ZF S6 Capacity: 15 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Multifleet SCD 40	SP Gear 5015	Gearlube GL-1 80W-90
USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		

ISE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Multifleet SCD 40	SP Gear 5015	Gearlube GL-1 80W-90	
USE		CLIMATE	
Normal		Arctic	
PRODUCT RECOMMENDATION 1			
Multifleet SCD 30			



(1979-1995)

HYDRAULIC SYSTEM VENTILATOR Capacity: 48 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

POWER STEERING Capacity: 5 liter			
use Normal		CLIMATE	
		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Matic 2032	ATF Almirol		

GREASE POINTS/NIPPLES WHEEL BEARINGS REAR		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

WHEEL BEARINGS FRONT OIL LUBRICATED Capacity: 0,3 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		

COOLING SYSTEM Capacity: 50 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.