KAWASAKI NINJA EX/ZX/BX NINJA 300 EX300AD/EX300BD (2013-2017)



ENGINE/TRANSMISSION Capacity: 2,4 liter (Dry fill), Capacity: 2,2 liter (Service fill), Filter capacity: 0,2 liter					
use Normal		CLIMATE			
		Mediterranean			
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3			
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 5W-40			
Change every 12000 km/ 12 month	s	·			
USE		CLIMATE			
Initial service		Mediterranean			
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3			
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 5W-40			
Change every 1000 km					

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			
Change every 24000 km/ 24 months	'			

COOLING SYSTEM
Capacity: 1,5 liter

USE

Normal

PRODUCT RECOMMENDATION 1

Coolant -38 Organic NF

Change every 36000 km/ 36 months

FRONT FORK LEFT Capacity: 372 CM3 (Dry fill), Capacity: 316 CM3 (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Fork Oil RR 10				
Check every 12000 km				

PRODUCT RECOMMENDATION

KAWASAKI NINJA EX/ZX/BX NINJA 300 EX300AD/EX300BD (2013-2017)



FRONT FORK RIGHT Capacity: 372 CM3 (Dry fill), Capacity: 316 CM3 (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Fork Oil RR 10				
Check every 12000 km				

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.