KTM 520 / 525 / 530 530 XC-W (2009-2011)



USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Expulsa RR 5W-50			
Change every 100 liter consumed fuel/	15 hours		
USE		CLIMATE	
Initial service		Moderate	
PRODUCT RECOMMENDATION 1			
Expulsa RR 5W-50			
Change every 3 hours/ 20 liter consum	ed fuel		

Capacity. 0,9 litel		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Expulsa RR 5W-50		
Change every 100 liter consumed fuel/ 15	hours	
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Expulsa RR 5W-50		
Change every 3 hours/ 20 liter consumed	fuel	

HYDRAULIC BRAKE SYSTEM		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 5.1		
Check every 1 race/ 100 liter consumed fuel/ 15 hours, change every 12 months		
USE	CLIMATE	
Initial service	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 5.1		
Check every 3 hours/ 20 liter consumed fuel		

KTM 520 / 525 / 530 530 XC-W (2009-2011)



Check every 1 race/ 100 liter consumed fuel/ 15 hours, change every 12 months			
Check every 3 hours/20 liter consumed fuel			

HYDRAULIC CLUTCH SYSTEM Magura

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM Capacity: 1 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Coolant -38 Organic NF	Coolant -26			
Check every 1 race/ 100 liter consum	ned fuel/ 15 hours			
USE		CLIMATE		
Initial service		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Coolant -38 Organic NF	Coolant -26			
Check every 3 hours/20 liter consum	ned fuel			

FRONT FORK	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Fork Oil RR 5	
Change every 12 months	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.