Change every 1000 km/2 months

SUZUKI GSX GSX 650 FA (2008-2015)



ENGINE/TRANSMISSION				
Capacity: 3,7 liter (Dry fill), Capacity: 3,5 liter (Service fill), Filter capacity: 0,5 lituse Normal		ter climate Moderate		
				PRODUCT RECOMMENDATION 1
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 5W-40		
Change every 6000 km/ 12 months	3			
USE		CLIMATE		
Initial service		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Expulsa RR 5W-50	Expulsa RR 15W-50	Expulsa RR 5W-40		

HYDRAULIC BRAKE SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			

HYDRAULIC CLUTCH SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			

Check every 6000 km/ 12 months, change every 24 months

Check every 6000 km/ 12 months, change every 24 months

COOLING SYSTEM Capacity: 3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	
Change every 24 months	

FRONT FORK

Capacity: 455 CM3 (each)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUCT RECOMMENDATION

SUZUKI GSX GSX 650 FA (2008-2015)



information contained herein is subject to changes without notification.