AUSTIN A40 A40 DORSET (1947-1950)



ENGINE Capacity: 4 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Classic Multigrade 10W-30	Classic Monograde 30		
Change every 3200 km/ 1 months			
USE		CLIMATE	
Initial service		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Classic Multigrade 10W-30	Classic Monograde 30		
Change every 800 km			

DIFFERENTIAL Capacity: 1,28 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSMISSION MANUAL 4/1 Capacity: 2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic Monograde 50	
Check every 3200 km/ 1 months, change e	very 8000 km
USE	CLIMATE

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		
Change every 800 km	<u>.</u>	^

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Check even 3200 km/1 months	

Check every 3200 km/ 1 months

GREASE POINTS/NIPPLES

We are unable to give a standard recommendation for this component. Please contact our service department.

AUSTIN A40 A40 DORSET (1947-1950)



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Change every 8000 km

CLIMATE
Moderate
-

Change every 8000 km

STEERING BOX

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.