PRODUCT RECOMMENDATION

BMW (EU) 2500, 2800, 3.0 S/SI E3 3.0 S (1971-1975)

ENGINE M30B30
Capacity: 5,75 liter, Filter capacity: 0,75 liter

USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		

Change every 6000 km/ 6 months

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Multigrade 20W-50		

Change every 6000 km/ 6 months

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Multigrade 15W-40	**Classic Multigrade 10W-30**	**Classic Monograde 30**

Change every 6000 km/ 6 months

USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Classic Racing Oil 15W-50		

Change every 6000 km/ 6 months

DIFFERENTIAL REAR
Capacity: 1,6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear MP 90		

Check every 12000 km

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear MP 90		

Change every 1000 km

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

BMW (EU) 2500, 2800, 3.0 S/SI E3 3.0 S (1971-1975)

DIFFERENTIAL REAR LIMITED SLIP
Capacity: 1,6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear LS 90		

Check every 12000 km

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear LS 90		

Change every 1000 km

TRANSMISSION AUTOMATIC ZF BW 65 3/1
Capacity: 7,6 liter (Dry fill)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic ATF F		

Check every 12000 km

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

BMW (EU) 2500, 2800, 3.0 S/SI E3 3.0 S (1971-1975)

TRANSMISSION MANUAL Getrag 262 4/1
Capacity: 1,1 liter

USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		

Check every 12000 km, change every 36000 km

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Multigrade 20W-50		

Check every 12000 km, change every 36000 km

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Multigrade 15W-40	**Classic Multigrade 10W-30**	**Classic Monograde 30**

Check every 12000 km, change every 36000 km

USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Classic Racing Oil 15W-50		

Check every 12000 km, change every 36000 km

TRANSMISSION MANUAL ZF S4-18/3 4/1
Capacity: 1,2 liter

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Classic Multigrade 10W-30	**Classic Monograde 30**	

Check every 12000 km, change every 36000 km

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Check every 12000 km, change every 36000 km

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

BMW (EU) 2500, 2800, 3.0 S/SI E3 3.0 S (1971-1975)

HYDRAULIC BRAKE/CLUTCH SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Check every 12000 km, change every 12 months

POWER STEERING SEPARATE SYSTEM
Capacity: 1,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic ATF A		

Check every 12000 km

COOLING SYSTEM
Capacity: 12 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	
Coolant -38 Organic NF	**Coolant -26**	

Check every 12000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367