DODGE (USA / CAN) CORONET CORONET D30 (1949-1952)



ENGINE Capacity: 4,75 liter			
USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Classic Multigrade 10W-30	Classic Monograde 30		
Change every 4000 km			
USE		CLIMATE	
Normal		Arctic	
PRODUCT RECOMMENDATION 1			
HDX 10W			
Change every 4000 km			

DIFFERENTIAL REAR Capacity: 3,1-3,3 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Classic Gear ZC 90		
Check every 1600 km, change every 32000 km	<u> </u>	
USE	CLIMATE	
Normal	Arctic	
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		
Check every 1600 km, change every 32000 km		

TRANSMISSION AUTOMATIC Gyromatic Capacity: 2,85 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
HDX 10W		
Check every 1600 km, change every 1600	·	

DODGE (USA / CAN) CORONET CORONET D30 (1949-1952)



TRANSMISSION MANUAL Capacity: 2,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Vintage Gear 90		
Check every 1600 km, change every 1600	0 km	•

HYDRAULIC BRAKE SYSTEM		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

GREASE POINTS/NIPPLES OTHERS			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2		

WHEEL BEARINGS FRONT		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
	Moderate
	CLIMATE
	PRODUCT RECOMMENDATION 2

DODGE (USA / CAN) CORONET CORONET D30 (1949-1952)



COOLING SYSTEM Capacity: 14,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

STEERING GEAR	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Vintage Gear 90	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.