## **FIAT (EU) 1100 103 1100 103E** (1953-1957)



USE	CLIMATE
Normal	Tropical
PRODUCT RECOMMENDATION 1  Classic Monograde 50	
Change every 2500 km	
use Normal	сымате Mediterranean
PRODUCT RECOMMENDATION 1  Classic Multigrade 10W-30	
Change every 2500 km	
use Normal	climate Moderate
PRODUCT RECOMMENDATION 1  Classic Monograde 30	
Change every 2500 km	
use Initial service	сымате Tropical
PRODUCT RECOMMENDATION 1  Classic Monograde 50	
Change every 1500 km	,
use Initial service	climate Mediterranean
PRODUCT RECOMMENDATION 1  Classic Multigrade 10W-30	
Change every 1500 km	
use Initial service	climate Moderate
PRODUCT RECOMMENDATION 1  Classic Monograde 30	

## **FIAT (EU) 1100 103 1100 103E** (1953-1957)



<b>DIFFERENTIAL REAR</b> Capacity: 0,64 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear MP 90		
Charle avant F000 km shanga avant 2000	O lem	

Check every 5000 km, change every 20000 km

TRANSMISSION MANUAL 4/1 Capacity: 1,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 90		
	•	

Check every 5000 km, change every 20000 km

HYDRAULIC BRAKE SYSTEM Capacity: 0,78 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Check every 5000 km	

GREASE POINTS/NIPPLES	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gear Grease EP 1	

Change every 2500 km

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Labora Grease		
Change every 10000 km		

## FIAT (EU) 1100 103 1100 103E (1953-1957)



WATERPUMP	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Labora Grease	
Change every 20000 km	

COOLING SYSTEM Capacity: 5,6 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant -38 Organic NF	Coolant -26		

GENERATOR	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Labora Grease	
Change every 10000 km	·

STARTER		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Change every 20000 km	,	

STEERING BOX Capacity: 0,17 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic Gear EP 90	
Check every 5000 km	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.