

FORD EUROPE TAUNUS 17M 17M (1.5) P7A

(1967-1968)

**ENGINE**

Capacity: 3,5 liter, Filter capacity: 0,5 liter

USE

Normal

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1**Classic Multigrade 20W-50****PRODUCT RECOMMENDATION 2****Classic Multigrade 15W-40****PRODUCT RECOMMENDATION 3****Classic Multigrade 10W-30***Change every 10000 km/ 6 months***USE**

Initial service

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1**Classic Multigrade 20W-50****PRODUCT RECOMMENDATION 2****Classic Multigrade 15W-40****PRODUCT RECOMMENDATION 3****Classic Multigrade 10W-30***Change every 1000 km***DIFFERENTIAL**

Capacity: 1,1 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Classic Gear EP 90****TRANSMISSION 3/1**

Capacity: 1 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Classic Gear EP 80***Change every 20000 km***TRANSMISSION 4/1**

Capacity: 1,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Classic Gear EP 80***Change every 20000 km*

FORD EUROPE TAUNUS 17M 17M (1.5) P7A

(1967-1968)



TRANSMISSION AUTOMATIC 3/1

Capacity: 6,94 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic ATF F		

HYDRAULIC BRAKE SYSTEM

Capacity: 0,43 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

COOLING SYSTEM

Capacity: 6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

STEERING BOX

Capacity: 0,3 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.