## FORD (USA) GALAXIE GALAXIE 5.7 (351CI)

(1969-1974)



ENGINE 351 ci Capacity: 4,7 liter, Filter capacity: 0,95 liter		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		
Change every 10000 km/ 6 months/ 6000 i	miles	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Multigrade 15W-40	Classic Multigrade 10W-30	Classic Monograde 30

Change every 10000 km/6 months/6000 miles

DIFFERENTIAL REAR	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic Gear MP 90	
Change every 10000 km/ 6 months/ 6000 miles	

DIFFERENTIAL REAR LIMITED SLIP		
USE	CLIMA	ATE
Normal	Mod	derate
PRODUCT RECOMMENDATION 1		
Classic Gear LS 90		

Change every 10000 km/6 months/6000 miles

TRANSMISSION AUTOMATIC Capacity: 7,6-12,3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic ATF F	
Change every 10000 km/ 6 months/ 6000	niles

## FORD (USA) GALAXIE GALAXIE 5.7 (351CI)





TRANSMISSION MANUAL 3/1 Capacity: 1,7-1,9 liter (Between min and m	ax.)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		
	,,	

Change every 10000 km/6 months/6000 miles

TRANSMISSION MANUAL 4-SPEED Ford 4/1 4/1 Capacity: 1,7-1,9 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Change every 10000 km/6 months/6000 miles

HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		
Change every 10000 km/ 6 months/ 6000 miles		

POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic ATF F	

Change every 10000 km/6 months/6000 miles

GREASE POINTS/NIPPLES OTHERS		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		
Change every 60000 km/ 36 months		

## FORD (USA) GALAXIE GALAXIE 5.7 (351CI) (1969-1974)



GREASE POINTS/NIPPLES WHEEL BEARINGS			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
MoS2 Grease EP 2			

Change every 50000 km/30 months

COOLING SYSTEM Capacity: 15,5 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -26	
Change every 40000 km/24 months	

## **STEERING BOX**

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.