FORD (USA) MUSTANG FIRST GEN MUSTANG GT-500 (1967-1968)



| ENGINE FE Cobra-Jet 428 ci Capacity: 4,7 liter | | |
|---|---------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Classic Multigrade 15W-40 | Classic Multigrade 10W-30 | |

Change every 10000 km/6 months/6000 miles

| DIFFERENTIAL REAR | |
|--|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Classic Gear MP 90 | |
| Check every 10000 km/ 6 months/ 6000 miles | ' |

| DIFFERENTIAL REAR LIMITED SLIP | | |
|--|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Classic Gear LS 90 | | |
| Check every 10000 km/ 6 months/ 6000 miles | | |

| TRANSMISSION AUTOMATIC Capacity: 7,3-8,4 liter | | |
|--|------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Classic ATF F | | |
| Check every 10000 km/ 6 months/ 6000 | iles | |

| TRANSMISSION MANUAL 4-SPEED Ford 4/1 4/1 Capacity: 1,9 liter | | |
|--|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Classic Gear EP 80 | | |
| Check every 10000 km/ 6 months/ 6000 mile | ' | |

FORD (USA) MUSTANG FIRST GEN MUSTANG GT-500 (1967-1968)



| HYDRAULIC BRAKE SYSTEM | | |
|--------------------------|--|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Drauliquid DOT 3 | | |

| POWER STEERING | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Classic ATF F | |
| Charle avery 10000 km/6 months/6000 miles | <u>'</u> |

Check every 10000 km/6 months/6000 miles

| COOLING SYSTEM Capacity: 14,2 liter | | |
|-------------------------------------|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant -38 Organic NF | Coolant -26 | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.