PRODUCT RECOMMENDATION

# FORD (USA) THUNDERBIRD 7.0 (428 CI)
(1966-1966)

**ENGINE** (428 ci)
Capacity: 5,7 liter, Filter capacity: 0,95 liter

| USE | CLIMATE |
|---|---|
| Normal | Tropical |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Multigrade 15W-40** | | |

*Change every 10000 km/ 6 months/ 6000 miles*

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 10W-30** | **Classic Monograde 30** | |

*Change every 10000 km/ 6 months/ 6000 miles*

**DIFFERENTIAL LIMITED SLIP** 9 3/8"
Capacity: 2,5 liter, Capacity: 0,12 liter (LS-additive)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear LS 90** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

**DIFFERENTIAL LIMITED SLIP** 9"
Capacity: 2,1 liter, Capacity: 0,12 liter (LS-additive)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear LS 90** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

**DIFFERENTIAL REAR CONVENTIONAL** 9 3/8"
Capacity: 2,6 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear MP 90** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# FORD (USA) THUNDERBIRD 7.0 (428 CI)

(1966-1966)

## DIFFERENTIAL REAR CONVENTIONAL 9"

Capacity: 2,4 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear MP 90** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

## TRANSMISSION AUTOMATIC C6 3/1

Capacity: 12,6 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic ATF F** | | |

## TRANSMISSION AUTOMATIC Cruise-O-Matic 3/1

Capacity: 9,5 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic ATF F** | | |

## HYDRAULIC BRAKE SYSTEM

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

## POWER STEERING

Capacity: 0,8 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic ATF F** | | |

*Check every 10000 km/ 6 months/ 6000 miles*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# FORD (USA) THUNDERBIRD 7.0 (428 CI)

(1966-1966)

## GREASE POINTS/NIPPLES OTHERS

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

*Check every 10000 km/ 6 months/ 6000 miles, change every 160000 km/ 36 months/ 100000 miles*

## GREASE POINTS/NIPPLES WHEEL BEARINGS

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

## COOLING SYSTEM

Capacity: 19,5 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Check every 10000 km/ 6 months/ 6000 miles, change every 60000 km/ 24 months/ 36000 miles*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367