

# FORD (USA) TORINO TORINO 7.5 (460CI) (1975-1975)



**ENGINE** 460 ci  
Capacity: 4,7 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**Classic Monograde 50**

*Change every 5000 miles/ 5 months*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Multigrade 15W-40**

PRODUCT RECOMMENDATION 2

**Classic Multigrade 10W-30**

PRODUCT RECOMMENDATION 3

**Classic Monograde 30**

*Change every 5000 miles/ 5 months*

| USE    | CLIMATE       |
|--------|---------------|
| Severe | Mediterranean |

PRODUCT RECOMMENDATION 1

**Classic Monograde 50**

*Change every 2500 miles/ 2 months*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Multigrade 15W-40**

PRODUCT RECOMMENDATION 2

**Classic Multigrade 10W-30**

PRODUCT RECOMMENDATION 3

**Classic Monograde 30**

*Change every 2500 miles/ 2 months*

## DIFFERENTIAL REAR

Capacity: 1,9-2,4 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Gear MP 90**

## DIFFERENTIAL REAR LIMITED SLIP

Capacity: 1,9-2,4 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Gear LS 90**

# FORD (USA) TORINO TORINO 7.5 (460CI) (1975-1975)



## TRANSMISSION AUTOMATIC

Capacity: 11,8 liter

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**Classic ATF F***Change every 20000 miles/ 20 months*

## HYDRAULIC BRAKE SYSTEM

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Check every 30000 miles/ 30 months*

## POWER STEERING

Capacity: 1,7 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic ATF F**

## GREASE POINTS/NIPPLES OTHERS

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**MoS2 Grease EP 2***Check every 30000 miles/ 30 months*

## GREASE POINTS/NIPPLES WHEEL BEARINGS

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**MoS2 Grease EP 2***Check every 30000 miles/ 30 months*

# FORD (USA) TORINO TORINO 7.5 (460CI) (1975-1975)



## COOLING SYSTEM

Capacity: 18,2 liter, Capacity: 18,2-18,5 liter (+ airconditioning)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| Coolant -26              |  |          |

Check every 15000 miles/ 15 months, change every 40000 miles/ 40 months

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*