PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

**ENGINE** OM352
Capacity: 10 liter, Filter capacity: 1 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Tropical |
| PRODUCT RECOMMENDATION 1 | | |
| **Classic Monograde 50** | | |

*Check every 10 hours, change every 200 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| **Classic Multigrade 20W-50** | **Classic Monograde 30** | |

*Check every 10 hours, change every 200 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Classic Racing Oil 15W-50** | **Classic Multigrade 15W-40** | **Classic Multigrade 10W-30** |

*Check every 10 hours, change every 200 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Arctic |
| PRODUCT RECOMMENDATION 1 | | |
| **HDX 10W** | | |

*Check every 10 hours, change every 200 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Tropical |
| PRODUCT RECOMMENDATION 1 | | |
| **Classic Monograde 50** | | |

*Change every 15 hours*

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| **Classic Multigrade 20W-50** | **Classic Monograde 30** | |

*Change every 15 hours*

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Classic Racing Oil 15W-50** | **Classic Multigrade 15W-40** | **Classic Multigrade 10W-30** |

*Change every 15 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

| USE | CLIMATE |
|---|---|
| Initial service | Arctic |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **HDX 10W** | | |

*Change every 15 hours*

## DIFFERENTIAL FRONT
Capacity: 2,5 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

## DIFFERENTIAL REAR
Capacity: 2,5 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

## HUB REDUCTIONS FRONT
Capacity: 0,3 liter (each)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

## HUB REDUCTIONS REAR
Capacity: 0,3 liter (each)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

## TRANSFERBOX/P.T.O.
Capacity: 1,4 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

## TRANSMISSION MANUAL 6/2
Capacity: 6 liter, Capacity: 7 liter (+ crawler gear)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Check every 200 hours, change every 12 months/ 400 hours*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 80** | | |

*Change every 15 hours*

## HYDRAULIC SYSTEM
Capacity: 18 liter (Change capacity), Capacity: 20 liter (Dry fill)

| USE | CLIMATE |
|---|---|
| Normal | Tropical |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 10W-30** | **Classic Monograde 30** | |

*Check every 10 hours, change every 800 hours/ 12 months*

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **HDX 10W** | | |

*Check every 10 hours, change every 800 hours/ 12 months*

| USE | CLIMATE |
|---|---|
| Initial service | Tropical |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 10W-30** | **Classic Monograde 30** | |

*Check every 10 hours, change every 200 hours/ 12 months*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **HDX 10W** | | |

*Check every 10 hours, change every 200 hours/ 12 months*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

## HYDRAULIC BRAKE SYSTEM
Capacity: 0,8 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Check every 200 hours*

## HYDRAULIC CLUTCH SYSTEM
Capacity: 0,2 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Check every 200 hours*

## POWER STEERING
Capacity: 3 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **HDX 10W** | | |

*Check every 200 hours, change every 1600 hours*

| USE | CLIMATE |
|---|---|
| Normal | Arctic |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic ATF A** | | |

*Check every 200 hours, change every 1600 hours*

## GREASE POINTS/NIPPLES

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---|---|---|
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

*Check every 200 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) UNIMOG 416 U 125
(1977-1988)

## COOLING SYSTEM
Capacity: 24 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Check every 200 hours, change every 12 months*

## OIL BATH AIR CLEANER
Capacity: 1,8 liter

| USE | CLIMATE |
|---|---|
| Normal | Tropical |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Monograde 50** | | |

| USE | CLIMATE |
|---|---|
| Normal | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 20W-50** | **Classic Monograde 30** | |

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---|---|---|
| **Classic Racing Oil 15W-50** | **Classic Multigrade 15W-40** | **Classic Multigrade 10W-30** |

| USE | CLIMATE |
|---|---|
| Normal | Cold |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **HDX 10W** | | |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367