

MG MAGNETTE MAGNETTE ZB (1956-1958)



ENGINE B Capacity: 4,54 liter		
USE Normal	CLIMATE Mediterranean	
PRODUCT RECOMMENDATION 1 Classic Multigrade 10W-30		
<i>Change every 4800 km</i>		
USE Normal	CLIMATE Moderate	
PRODUCT RECOMMENDATION 1 Classic Monograde 30		
<i>Change every 4800 km</i>		
USE Normal	CLIMATE Arctic	
PRODUCT RECOMMENDATION 1 HDX 10W		
<i>Change every 4800 km</i>		
USE Initial service	CLIMATE Mediterranean	
PRODUCT RECOMMENDATION 1 Classic Multigrade 10W-30		
<i>Change every 800 km</i>		
USE Initial service	CLIMATE Moderate	
PRODUCT RECOMMENDATION 1 Classic Monograde 30		
<i>Change every 800 km</i>		
USE Initial service	CLIMATE Arctic	
PRODUCT RECOMMENDATION 1 HDX 10W		
<i>Change every 800 km</i>		



MG MAGNETTE MAGNETTE ZB (1956-1958)



DIFFERENTIAL
Capacity: 1,56 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Classic Gear EP 90		

Check every 1600 km, change every 9600 km

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Check every 1600 km, change every 9600 km

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
Classic Gear EP 90		

Change every 800 km

USE	CLIMATE
Initial service	Arctic

PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Change every 800 km

TRANSMISSION MANUAL 4/1
Capacity: 2,56 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Classic Multigrade 10W-30	Classic Monograde 30	

Check every 1600 km, change every 9600 km

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Classic Multigrade 10W-30	Classic Monograde 30	

Change every 800 km

MG MAGNETTE MAGNETTE ZB (1956-1958)



HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Check every 1600 km

GREASE POINTS/NIPPLES

USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	

Change every 1600 km

WHEEL BEARINGS

USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	

Change every 9600 km

COOLING SYSTEM

Capacity: 6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant -26		

CARBURETTOR DAMPER

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Monograde 30		

Check every 1600 km

MG MAGNETTE MAGNETTE ZB (1956-1958)



STEERING BOX

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Classic Gear EP 90		

Change every 19200 km

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Change every 19200 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.