

TOYOTA CROWN S CROWN 2300 MS5 (1967-1971)



ENGINE 2M
Capacity: 5,3 liter

USE
Normal

CLIMATE
Moderate

PRODUCT RECOMMENDATION 1

Classic Multigrade 20W-50

PRODUCT RECOMMENDATION 2

Classic Multigrade 15W-40

PRODUCT RECOMMENDATION 3

Classic Multigrade 10W-30

Change every 5000 km/ 3 months

USE
Initial service

CLIMATE
Moderate

PRODUCT RECOMMENDATION 1

Classic Multigrade 20W-50

PRODUCT RECOMMENDATION 2

Classic Multigrade 15W-40

PRODUCT RECOMMENDATION 3

Classic Multigrade 10W-30

Change every 1000 km

DIFFERENTIAL REAR
Capacity: 1,2 liter

USE
Normal

CLIMATE
Moderate

PRODUCT RECOMMENDATION 1

Classic Gear MP 90

Check every 10000 km, change every 30000 km/ 24 months

USE
Normal

CLIMATE
Arctic

PRODUCT RECOMMENDATION 1

Gearlube RPC 75W-80

PRODUCT RECOMMENDATION 2

SP Gear 5015

Check every 10000 km, change every 30000 km/ 24 months

TRANSMISSION AUTOMATIC 3/1
Capacity: 6,8 liter

USE
Normal

CLIMATE
Moderate

PRODUCT RECOMMENDATION 1

Classic ATF F

Check every 5000 km, change every 30000 km/ 24 months

USE
Initial service

CLIMATE
Moderate

PRODUCT RECOMMENDATION 1

Classic ATF F

Change every 1000 km

TOYOTA CROWN S CROWN 2300 MS5 (1967-1971)



TRANSMISSION MANUAL 3/1

Capacity: 2,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 10000 km, change every 30000 km/ 24 months*

TRANSMISSION MANUAL 4/1

Capacity: 2,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 10000 km, change every 30000 km/ 24 months*

HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

GREASE POINTS/NIPPLES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

MoS2 Grease EP 2*Change every 40000 km/ 24 months*

TOYOTA CROWN S CROWN 2300 MS5 (1967-1971)



WHEEL BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Change every 40000 km/ 24 months

COOLING SYSTEM

Capacity: 10-11 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Change every 20000 km/ 12 months

STEERING BOX

Capacity: 0,24 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		

Check every 20000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.