

# VAUXHALL VELOX VELOX 2.6 PB (1962-1965)



## ENGINE

Capacity: 6,25 liter (Dry fill), Capacity: 5,4 liter (Service fill)

### USE

Normal

### CLIMATE

Mediterranean

### PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30***Check every 750 km, change every 3000 km*

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Classic Monograde 30***Check every 750 km, change every 3000 km*

## AXLE REAR

Capacity: 2,17 liter

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Classic Gear EP 90***Check every 3000 km*

### USE

Normal

### CLIMATE

Arctic

### PRODUCT RECOMMENDATION 1

**Classic Gear EP 80***Check every 3000 km*

## TRANSMISSION MANUAL 3/1

Capacity: 1,19 liter

### USE

Normal

### CLIMATE

Mediterranean

### PRODUCT RECOMMENDATION 1

**Classic Gear ZC 90***Check every 3000 km*

### USE

Normal

### CLIMATE

Arctic

### PRODUCT RECOMMENDATION 1

**Classic Gear EP 80***Check every 3000 km*

# VAUXHALL VELOX VELOX 2.6 PB (1962-1965)



## TRANSMISSION MANUAL WITH OVERDRIVE 4/1

Capacity: 2,05 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

**Classic Gear ZC 90***Check every 3000 km, change every 18000 km*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1

**Classic Gear EP 80***Check every 3000 km, change every 18000 km*

## HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Check every 3000 km*

## HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

## GREASE POINTS/NIPPLES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Abacot MEP 460***Change every 3000 km*

# VAUXHALL VELOX VELOX 2.6 PB (1962-1965)



## WHEEL BEARINGS FRONT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

*Change every 18000 km*

## COOLING SYSTEM

Capacity: 9,52 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant -38 Organic NF</b>	<b>Coolant -26</b>	

## STEERING BOX

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
<b>Classic Gear ZC 90</b>		

*Check every 3000 km*

USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
<b>Classic Gear EP 80</b>		

*Check every 3000 km*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.