

# VOLKSWAGEN (VW) (EU) KARMANN GHIA

## 1500 KARMANN GHIA TYPE 14 (1965-1974)

**ENGINE**

Capacity: 2,5 liter

## USE

Normal

## CLIMATE

Mediterranean

## PRODUCT RECOMMENDATION 1

**Classic Monograde 30***Change every 5000 km/ 6 months*

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30***Change every 5000 km/ 6 months*

## USE

Normal

## CLIMATE

Arctic

## PRODUCT RECOMMENDATION 1

**HDX 10W***Change every 5000 km/ 6 months***TORQUE CONVERTER SEMI-AUTOMATIC TRANSAXLE**

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Classic ATF A****TRANSAXLE AUTOMATIC 3/1**

Capacity: 3 liter

## USE

Normal

## CLIMATE

Mediterranean

## PRODUCT RECOMMENDATION 1

**Classic Gear EP 90***Check every 5000 km, change every 25000 km*

## USE

Normal

## CLIMATE

Arctic

## PRODUCT RECOMMENDATION 1

**Classic Gear EP 80***Check every 5000 km, change every 25000 km*

# VOLKSWAGEN (VW) (EU) KARMANN GHIA

## 1500 KARMANN GHIA TYPE 14 (1965-1974)



### TRANSAXLE MANUAL 4/1

Capacity: 2,5 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

**Classic Gear EP 90***Check every 5000 km, change every 25000 km*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1

**Classic Gear EP 80***Check every 5000 km, change every 25000 km*

### HYDRAULIC BRAKE SYSTEM

Capacity: 250 CM3

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

### STEERING BOX

Capacity: 125 CM3

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Classic Gear MP 90**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*